

# door catalogue



specwood  
GROUP

bringing dreams  
to life

# SPECWOOD DOORS



Specwood crafts and installs high quality interior doors through a strong network of partners.

Specwood offers a one-stop-shop solution for the design, manufacture, supply, and installation of door leaf, frame, and all metal accessories because we understand the customer pain point of having to deal with 3-4 different suppliers to purchase and install a single door,

Specwood's one stop shop solution is valuable because it enables complete accountability on design, delivery, quality, and after sale customer support.

# strategic partnership



With our strategic partner, Granada Doors based in Egypt, we bring a product portfolio that is inspired by simplicity, elegance and affordability.

Granada is a large door manufacturer with production capacity of 15,000 doors per month from its 3000 SQM factory. Granada has over 200 employees with a strong presence in the Middle East and through the partnership with Specwood in East Africa also



# door portfolio

The product portfolio is wide covering every segment of the construction industry. Each product type has been designed to meet specific needs of the different construction segments.

The broad product categories are:

- Laminate Door Sets
- Wood Veneer Door Sets
- MDF Door Sets
- PVC Foil Door Sets

There are over 1000+ designs and configurations. We have listed some of our most popular options in this catalogue and invite you to review and find the door that meets your specific design preference.

Get in touch with us through the details provided at the back of this catalogue booklet for further assistance.



# marro



## Door Set Key Features







- Door leaf composed of high quality laminate on 4mm HDF board
- Seasoned wood/WPC door frame for stability and water resistance (WPC)
- PVC rubber seal around frame to keep dirt, noise, and weather out
- Supplied with all door accessories (hinges, lock, handles)

## Door Set Options

<b>FRAME WIDTH</b>	100mm to 300mm
<b>DOOR PANEL CORE</b>	Semi-solid (honeycomb) or Solid (particle board)
<b>IRONMONGERY</b>	Standard Set / Customised Set
<b>ADDITIONAL OPTIONS</b>	Fan light, Kickplate, Ventilation latch, Double door

<b>WALL OPENING HEIGHT</b>	2100mm or 2400mm
<b>WALL OPENING WIDTH</b>	800mm or 900mm or 1000mm
<b>WALL THICKNESS</b>	100mm - 250mm

## Door Colour Options

					
African Wenge	Walnut	Ferro	Ash Grey	Forest	White

# cella



LMA1015

## Door Set Key Features


- Door leaf composed of high quality laminate on 4mm HDF board
- Seasoned wood/WPC door frame for stability and water resistance (WPC)
- PVC rubber seal around frame to keep dirt, noise, and weather out
- Supplied with all door accessories (hinges, lock, handles)

## Door Set Options


<b>FRAME WIDTH</b>	100mm to 300mm
<b>DOOR PANEL CORE</b>	Semi-solid (honeycomb) or Solid (particle board)
<b>IRONMONGERY</b>	Standard Set / Customised Set
<b>ADDITIONAL OPTIONS</b>	Fan light, Kickplate, Ventilation latch, Double door

<b>WALL OPENING HEIGHT</b>	2100mm or 2400mm
<b>WALL OPENING WIDTH</b>	800mm or 900mm or 1000mm
<b>WALL THICKNESS</b>	100mm - 250mm

## Door Colour Options



African Wenge



Walnut



Ferro



Ash Grey



Forest



White



# malza



PVC159

## Door Set Key Features

- Door leaf composed of high quality laminate on 4mm HDF board
- Seasoned wood/WPC door frame for stability and water resistance (WPC)
- PVC rubber seal around frame to keep dirt, noise, and weather out
- Supplied with all door accessories (hinges, lock, handles)

## Door Set Options

<b>FRAME WIDTH</b>	100mm to 300mm
<b>DOOR PANEL CORE</b>	Semi-solid (honeycomb) or Solid (particle board)
<b>IRONMONGERY</b>	Standard Set / Customised Set
<b>ADDITIONAL OPTIONS</b>	Fan light, Kickplate, Ventilation latch, Double door

<b>WALL OPENING HEIGHT</b>	2100mm or 2400mm
<b>WALL OPENING WIDTH</b>	800mm or 900mm or 1000mm
<b>WALL THICKNESS</b>	100mm - 250mm

## Door Colour Options

					
African Wenge	Walnut	Ferro	Ash Grey	Forest	White

# viola



UK903

## Door Set Key Features

- Door leaf composed of high quality laminate on 4mm HDF board
- Seasoned wood/WPC door frame for stability and water resistance (WPC)
- PVC rubber seal around frame to keep dirt, noise, and weather out
- Supplied with all door accessories (hinges, lock, handles)

## Door Set Options

<b>FRAME WIDTH</b>	100mm to 300mm
<b>DOOR PANEL CORE</b>	Semi-solid (honeycomb) or Solid (particle board)
<b>IRONMONGERY</b>	Standard Set / Customised Set
<b>ADDITIONAL OPTIONS</b>	Fan light, Kickplate, Ventilation latch, Double door

<b>WALL OPENING HEIGHT</b>	2100mm or 2400mm
<b>WALL OPENING WIDTH</b>	800mm or 900mm or 1000mm
<b>WALL THICKNESS</b>	100mm - 250mm

## Door Colour Options

					
African Wenge	Walnut	Ferro	Ash Grey	Forest	White



# rusta



UK903/3

## Door Set Key Features

- Door leaf composed of high quality laminate on 4mm HDF board
- Seasoned wood/WPC door frame for stability and water resistance (WPC)
- PVC rubber seal around frame to keep dirt, noise, and weather out
- Supplied with all door accessories (hinges, lock, handles)

## Door Set Options

<b>FRAME WIDTH</b>	100mm to 300mm
<b>DOOR PANEL CORE</b>	Semi-solid (honeycomb) or Solid (particle board)
<b>IRONMONGERY</b>	Standard Set / Customised Set
<b>ADDITIONAL OPTIONS</b>	Fan light, Kickplate, Ventilation latch, Double door

<b>WALL OPENING HEIGHT</b>	2100mm or 2400mm
<b>WALL OPENING WIDTH</b>	800mm or 900mm or 1000mm
<b>WALL THICKNESS</b>	100mm - 250mm

## Door Colour Options

					
African Wenge	Walnut	Ferro	Ash Grey	Forest	White

# clio



UK931

## Door Set Key Features

- Door leaf composed of high quality laminate on 4mm HDF board
- Seasoned wood/WPC door frame for stability and water resistance (WPC)
- PVC rubber seal around frame to keep dirt, noise, and weather out
- Supplied with all door accessories (hinges, lock, handles)

## Door Set Options

<b>FRAME WIDTH</b>	100mm to 300mm
<b>DOOR PANEL CORE</b>	Semi-solid (honeycomb) or Solid (particle board)
<b>IRONMONGERY</b>	Standard Set / Customised Set
<b>ADDITIONAL OPTIONS</b>	Fan light, Kickplate, Ventilation latch, Double door

<b>WALL OPENING HEIGHT</b>	2100mm or 2400mm
<b>WALL OPENING WIDTH</b>	800mm or 900mm or 1000mm
<b>WALL THICKNESS</b>	100mm - 250mm

## Door Colour Options

					
African Wenge	Walnut	Ferro	Ash Grey	Forest	White

# kalina



PVC150

## Door Set Key Features

- Door leaf composed of high quality laminate on 4mm HDF board
- Seasoned wood/WPC door frame for stability and water resistance (WPC)
- PVC rubber seal around frame to keep dirt, noise, and weather out
- Supplied with all door accessories (hinges, lock, handles)

## Door Set Options

<b>FRAME WIDTH</b>	100mm to 300mm
<b>DOOR PANEL CORE</b>	Semi-solid (honeycomb) or Solid (particle board)
<b>IRONMONGERY</b>	Standard Set / Customised Set
<b>ADDITIONAL OPTIONS</b>	Fan light, Kickplate, Ventilation latch, Double door

<b>WALL OPENING HEIGHT</b>	2100mm or 2400mm
<b>WALL OPENING WIDTH</b>	800mm or 900mm or 1000mm
<b>WALL THICKNESS</b>	100mm - 250mm

## Door Colour Options

					
African Wenge	Walnut	Ferro	Ash Grey	Forest	White

# plato



UK901

## Door Set Key Features

- Door leaf composed of high quality laminate on 4mm HDF board
- Seasoned wood/WPC door frame for stability and water resistance (WPC)
- PVC rubber seal around frame to keep dirt, noise, and weather out
- Supplied with all door accessories (hinges, lock, handles)

## Door Set Options

<b>FRAME WIDTH</b>	100mm to 300mm
<b>DOOR PANEL CORE</b>	Semi-solid (honeycomb) or Solid (particle board)
<b>IRONMONGERY</b>	Standard Set / Customised Set
<b>ADDITIONAL OPTIONS</b>	Fan light, Kickplate, Ventilation latch, Double door

<b>WALL OPENING HEIGHT</b>	2100mm or 2400mm
<b>WALL OPENING WIDTH</b>	800mm or 900mm or 1000mm
<b>WALL THICKNESS</b>	100mm - 250mm

## Door Colour Options

					
African Wenge	Walnut	Ferro	Ash Grey	Forest	White

# bary



ST801

## Door Set Key Features

- Door leaf composed of high quality laminate on 4mm HDF board
- Seasoned wood/WPC door frame for stability and water resistance (WPC)
- PVC rubber seal around frame to keep dirt, noise, and weather out
- Supplied with all door accessories (hinges, lock, handles)

## Door Set Options

<b>FRAME WIDTH</b>	100mm to 300mm
<b>DOOR PANEL CORE</b>	Semi-solid (honeycomb) or Solid (particle board)
<b>IRONMONGERY</b>	Standard Set / Customised Set
<b>ADDITIONAL OPTIONS</b>	Fan light, Kickplate, Ventilation latch, Double door

<b>WALL OPENING HEIGHT</b>	2100mm or 2400mm
<b>WALL OPENING WIDTH</b>	800mm or 900mm or 1000mm
<b>WALL THICKNESS</b>	100mm - 250mm

## Door Colour Options

					
African Wenge	Walnut	Ferro	Ash Grey	Forest	White

# lunar



PVC110

## Door Set Key Features







- Door leaf composed of high quality laminate on 4mm HDF board
- Seasoned wood/WPC door frame for stability and water resistance (WPC)
- PVC rubber seal around frame to keep dirt, noise, and weather out
- Supplied with all door accessories (hinges, lock, handles)

## Door Set Options

<b>FRAME WIDTH</b>	100mm to 300mm
<b>DOOR PANEL CORE</b>	Semi-solid (honeycomb) or Solid (particle board)
<b>IRONMONGERY</b>	Standard Set / Customised Set
<b>ADDITIONAL OPTIONS</b>	Fan light, Kickplate, Ventilation latch, Double door

<b>WALL OPENING HEIGHT</b>	2100mm or 2400mm
<b>WALL OPENING WIDTH</b>	800mm or 900mm or 1000mm
<b>WALL THICKNESS</b>	100mm - 250mm

## Door Colour Options

					
African Wenge	Walnut	Ferro	Ash Grey	Forest	White



# hawa



UK907

## Door Set Key Features

- Door leaf composed of high quality laminate on 4mm HDF board
- Seasoned wood/WPC door frame for stability and water resistance (WPC)
- PVC rubber seal around frame to keep dirt, noise, and weather out
- Supplied with all door accessories (hinges, lock, handles)

## Door Set Options

<b>FRAME WIDTH</b>	100mm to 300mm
<b>DOOR PANEL CORE</b>	Semi-solid (honeycomb) or Solid (particle board)
<b>IRONMONGERY</b>	Standard Set / Customised Set
<b>ADDITIONAL OPTIONS</b>	Fan light, Kickplate, Ventilation latch, Double door

<b>WALL OPENING HEIGHT</b>	2100mm or 2400mm
<b>WALL OPENING WIDTH</b>	800mm or 900mm or 1000mm
<b>WALL THICKNESS</b>	100mm - 250mm

## Door Colour Options

					
African Wenge	Walnut	Ferro	Ash Grey	Forest	White

# zibra



UK902

## Door Set Key Features

- Door leaf composed of high quality laminate on 4mm HDF board
- Seasoned wood/WPC door frame for stability and water resistance (WPC)
- PVC rubber seal around frame to keep dirt, noise, and weather out
- Supplied with all door accessories (hinges, lock, handles)

## Door Set Options

<b>FRAME WIDTH</b>	100mm to 300mm
<b>DOOR PANEL CORE</b>	Semi-solid (honeycomb) or Solid (particle board)
<b>IRONMONGERY</b>	Standard Set / Customised Set
<b>ADDITIONAL OPTIONS</b>	Fan light, Kickplate, Ventilation latch, Double door

<b>WALL OPENING HEIGHT</b>	2100mm or 2400mm
<b>WALL OPENING WIDTH</b>	800mm or 900mm or 1000mm
<b>WALL THICKNESS</b>	100mm - 250mm

## Door Colour Options

					
African Wenge	Walnut	Ferro	Ash Grey	Forest	White

# nova



UK930

## Door Set Key Features

- Door leaf composed of high quality laminate on 4mm HDF board
- Seasoned wood/WPC door frame for stability and water resistance (WPC)
- PVC rubber seal around frame to keep dirt, noise, and weather out
- Supplied with all door accessories (hinges, lock, handles)

## Door Set Options

<b>FRAME WIDTH</b>	100mm to 300mm
<b>DOOR PANEL CORE</b>	Semi-solid (honeycomb) or Solid (particle board)
<b>IRONMONGERY</b>	Standard Set / Customised Set
<b>ADDITIONAL OPTIONS</b>	Fan light, Kickplate, Ventilation latch, Double door

<b>WALL OPENING HEIGHT</b>	2100mm or 2400mm
<b>WALL OPENING WIDTH</b>	800mm or 900mm or 1000mm
<b>WALL THICKNESS</b>	100mm - 250mm

## Door Colour Options

					
African Wenge	Walnut	Ferro	Ash Grey	Forest	White

# albus



PVC104

## Door Set Key Features

- Door leaf composed of high quality laminate on 4mm HDF board
- Seasoned wood/WPC door frame for stability and water resistance (WPC)
- PVC rubber seal around frame to keep dirt, noise, and weather out
- Supplied with all door accessories (hinges, lock, handles)

## Door Set Options

<b>FRAME WIDTH</b>	100mm to 300mm
<b>DOOR PANEL CORE</b>	Semi-solid (honeycomb) or Solid (particle board)
<b>IRONMONGERY</b>	Standard Set / Customised Set
<b>ADDITIONAL OPTIONS</b>	Fan light, Kickplate, Ventilation latch, Double door

<b>WALL OPENING HEIGHT</b>	2100mm or 2400mm
<b>WALL OPENING WIDTH</b>	800mm or 900mm or 1000mm
<b>WALL THICKNESS</b>	100mm - 250mm

## Door Colour Options

					
African Wenge	Walnut	Ferro	Ash Grey	Forest	White

# ravus



PVC162

## Door Set Key Features

- Door leaf composed of high quality laminate on 4mm HDF board
- Seasoned wood/WPC door frame for stability and water resistance (WPC)
- PVC rubber seal around frame to keep dirt, noise, and weather out
- Supplied with all door accessories (hinges, lock, handles)

## Door Set Options

<b>FRAME WIDTH</b>	100mm to 300mm
<b>DOOR PANEL CORE</b>	Semi-solid (honeycomb) or Solid (particle board)
<b>IRONMONGERY</b>	Standard Set / Customised Set
<b>ADDITIONAL OPTIONS</b>	Fan light, Kickplate, Ventilation latch, Double door

<b>WALL OPENING HEIGHT</b>	2100mm or 2400mm
<b>WALL OPENING WIDTH</b>	800mm or 900mm or 1000mm
<b>WALL THICKNESS</b>	100mm - 250mm

## Door Colour Options

					
African Wenge	Walnut	Ferro	Ash Grey	Forest	White

# kenya projects



Qwetu Student Residences **600+ Doors**




El Olam Residency Migaa **150+ Doors**



Trident Park Langata II **850+ Doors**



Baraka Estate, Utawala **120+ Doors**





# international projects



## Telal Algorob project

Apartment Residential  
Development Jeddah  
**8000+ Doors**

# international projects

## Venan Residential Compound

Urban Mixed Residential  
Development Jeddah **13000+**  
**Doors**



# affiliates, partnerships, clients





P.O. Box 3824-00506  
50 Garden Estate Road  
near Braeburn School Garden Estate  
Nairobi Kenya

T. 254 703 821 098  
T. 254 723 648 983

[www.specwood.co.ke](http://www.specwood.co.ke)